

Surface height	5.5 cm	20 cm	21 cm	21 cm	20 cm	37.5 cm
Loading point when extracted	-	-	-	-	-	From 13 to 37,5 cm above installation flo
Sideways movement	-	No	300 mm	No	300 mm	230 mm
Extraction tilted	-	No	No	No	No	Yes
Housing	-	Yes	Yes	Yes	Yes	Yes
Double housing version	NA	BO10201	BO10202	BO10203	B010204	BO10206

	HYDROPNEUMATIC STRETCHER SUPPORTS				
el	GALAXY - (BO10000) Sideways movable and extractable	MASTER - (BO10008) Sideways movable and extractable	LINK - (BO10009) Sideways movable and extractable		

General specs	Sideways movable and extractable With tilt front and tilt back position	Sideways movable and extractable	Sideways movable and extractable With tilt back position	
Surface height	Adjustable from 37.5 to 58 cm	Adjustable from 28 to 37 cm	Adjustable from 25 to 34 cm	
Loading point when extracted	From 16 to 37.5 cm above installation floor	From 10 cm below to 28 cm above installation floor	From 4.5 cm below to 25 cm above installation floor	
Sideways movement	230 mm	230 mm (no lateral operation lever)	230 mm (no lateral operation lever)	
Forward movement	No	Yes (150 mm)	No	
Extraction tilted	Yes	Yes	Yes	
Suspension	Yes	Yes	Yes	
Housing	Yes	Yes	No	
Double housing version BO10200		BO10208	NA	

## Are you aware of all take applicable to Bob?

Mode

Spencer stretchers support has been designed in compliance with all relevant norms and regulations.

L	UNI EN 1865-5
	UNI EN 1789
	ECE R-10
L	only for electrically
	powered models

ELECTROMECHANICAL STRETCHER SUPPORT			
Model		BO10005 - COMPAS E	
General specs		Sideways movable and extractable With tilt front and tilt back position	
Surface height		37.5 cm	
Loading point when extracted		From 13 to 37,5 cm above installation floor	
Sideways movement		230 mm	
Extraction tilted		Yes	
Suspension		No	
Housing		Yes	
Double housing version		BO10205	





terminal elements in integral polyurethane, hide every part and thanks to their elastic proper ties, function ick absorbers that make the platform injury proof and ct the operators during hectic emergency procedures.

iron supports chemical resi supports sho done.



Thanks to the innovative form and the use of sophisticated raw materials, no support has ever been as light as **the**. The result is better handling and reduction of the overall weight of the ambulance.



he long sid f the platfo f leverage. hside the sa The value of a choice is measured in the future.



v manufactured in aluminium (which unlike other does not rust) and has superior mechanical and stance. BOB, thanks to its honeycomb structure, sk and fatigue like no other platform has ever

handle that triggers the sideways movement n is designed to increase the surface area he operator can move the from any position itary compartment. B, Best On Board


Introducing the ultimate expression of Spencer's efficiency, design and innovation.

spencer.it




## BOB

CREATED BY EXTRUSION Stabilized and shockproof Space Saving Shape



is created by extrusion. Until today, the only other big items made using this technique were the carriages for the metro in the USA. he platform is an integral, seamless part engineering xcellence that guarantees the device's solidity and obustness.



Unique is its patented concave shape that creates space that previously just didn't exist in the ambulance. 2.2 m<sup>2</sup> of extra space is generated both laterally and anteriorly.

## SHAPF CREATES SPACE

The most evident innovation of BOB is on the right hand profile

Rescuers can finally sit with their feet parallel and enjoy the benefits of a better posture.




BOB is characterized by a minimalist and essential design. It has a strong visual impact and you'll fall in love at first sight. The colours that highlight the beauty of the design are the metallic grey of whole aluminium support the black of the terminal parts and the band of red of the handle element.

Three elegant and balanced colours that blend and harmonise luminosity.

erfectly f décor he colou installe nvironm uminosit

## LED LIGHT BAR Long side handle

LIGHTWEIGHT






r scheme is even more accentuated when led bar d on BOB providing both the support and the whole ent with a new, effective and aesthetically modern y.



the ground thanks to a patented sensor. Based on the data received, it will self adjust to the ideal height for unloading so the stretcher legs will always open up to a safe position.

HEIGHT SENSOR Top not welded Top seamless



solute is also unique inside. Thanks to a patented system, BOB is also unique inside. Thanks to a patented system the support can be fitted with vacuum and oxygen supply and a 12V socket integrated directly into the structure. Operators can work keeping their belt safely buckled and without the interference of all the patient tubes that normally are installed in the ambulance ceiling.



Supper section is not welded and is seamless; engineering excellence that permits immediate and effective sanitation removing any danger of cross infection.



The space dedicated to the housing of immobilization systems (Backboard or pick up stretcher) is equipped with stabilizer; a highly innovative system that ensures firm anchoring and is silent during transport.